

Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 1 of 11

Date of Issue: March 2014

SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

AUSTRALIAN SUPPLIER: Challs Australia Pty Ltd.

ABN: 61 146 342 798.

ADDRESS: Level 9, 28 O'Connell Street, Sydney, NSW 2000 Australia.

POSTAL ADDRESS: GPO Box 1612, Sydney, NSW 2001 Australia.

TELEPHONE: (+61) 1300 CHALLS; (1300 242 557).

AH EMERGENCY TELEPHONE: 13 1126 (24 Hours) – Australian National Poisons Centre.

WEB PAGE: www.challs.com

NEW ZEALAND SUPPLIER: Amalgamated Hardware Merchants Ltd.

ADDRESS: 8 Hautu Drive, Wiri, Auckland, 2025 New Zealand.

TELEPHONE: (+64 9) 251 1300.

AH EMERGENCY TELEPHONE: 0800 POISON (0800 764 766) (24 Hours) - New Zealand National

Poisons Centre. (+64 9) 251 1311.

FAX: (+64 9) 251 1311 **WEB PAGE:** www.challs.com

Product Name: Buster Plughole Granular Sanitiser.

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains

Alcohols, C12-15, Ethoxylated).

Product Use: Drain cleaner/sanitiser for plugholes and pipes.

Manufacturer's Product Code: Not applicable.

Creation Date: 26 March 2014.

Revision Date: Refere 25 March

Revision Date: Before 25 March 2019.

SECTION 2 – HAZARDS IDENTIFICATION

<u>AUSTRALIA:</u>

This product is classified as a HAZARDOUS CHEMICAL in accordance with the WHS, and classified as

DANGEROUS GOODS according to the Australian Dangerous Goods (ADG) Code.

Dangerous Goods: Dangerous Goods Class 9, UN 3077, Packing Group III.

Hazardous Classes & Categories:

Physical: Not applicable.

Health: Acute toxicity - Oral. Hazard Category 4.

Skin corrosion/irritation. Hazard Category 1C. Serious eye damage/eye irritation. Hazard Category 1.

Environmental: Hazardous to the aquatic

environment — Chronic hazard. Hazard Category 2.

Signal Word: DANGER.

Hazard Statements: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements:

Prevention: P260: Do not breathe mist/vapours/spray.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment. P280: Wear eye protection/face protection.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 2 of 11

Date of Issue: March 2014

SECTION 2 – HAZARDS IDENTIFICATION (CONTINUED)

Response: P301 + P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce

vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage P405: Store locked up.

Disposal P501: Dispose of contents and container to appropriate waste site or

reclaimer in accordance with local and national regulations.

Pictogram:

Storage:







Pictogram Description: Environment Exclamation mark Corrosion.

NEW ZEALAND:

This product is **classified** as **HAZARDOUS** according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 with EPA (formerly ERMA) Register Approval Number HSR002526 and HSNO Group Standard: Cleaning Products (Corrosive) Group Standard 2006, and **classified** as **Dangerous Goods** for transport, according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

Dangerous Goods: Dangerous Goods Class 9, UN 3077, Packing Group III.

HSNO Hazardous Class & Category: 6.1D (oral), 8.2C, 8.3A, 9.1B, 9.3C.

Signal Word: DANGER.

Hazard Statements: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H433: Harmful to terrestrial vertebrates.

Precautionary Statements:

Prevention: P102: Keep out of reach of children.

P103: Read label before use.

P104: Read Safety Data Sheet before use. P260: Do not breathe mist/vapours/spray. P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment. P280: Wear eye protection/face protection.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 3 of 11

Date of Issue: March 2014

SECTION 2 – HAZARDS IDENTIFICATION (CONTINUED)

Response: P101: If medical advice is needed, have product container or label at

hand.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce

vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage

Storage: P405: Store locked up.

Disposal P501: Dispose of contents and container to appropriate waste site or

reclaimer in accordance with local and national regulations.

Pictogram:







SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS			
Ingredients:	CAS Number:	Proportion:	
Sodium Carbonate Peroxyhdrate	15630-89-4	> 60% w/w	
Trisodium Phosphate	7601-54-9	< 10% w/w	
Alcohols, C12-15, Ethoxylated	68131-39-5	< 5% w/w	
2-bromo-2-nitro-1,3-Propanediol	52-51-7	< 1% w/w	
Other Ingredients (Non-Hazardous)	Proprietary	< 10% w/w	
Total		100% w/w	

SECTION 4	I – FIRST	AID N	1EASURES
-----------	-----------	-------	----------

Scheduled Poisons Poisons Information Centre in each Australian State capital city can provide

(AUSTRALIA): additional assistance for scheduled poisons. (Phone Australia 13 1126) or a

doctor (at once).

Scheduled Poisons

New Zealand National Poisons Centre can provide additional assistance for

(NEW ZEALAND): scheduled poisons. Phone 0800 POISON (or 0800 764 766) or a doctor (at

once).

First Aid Facilities Required: Eye wash fountains and a general washing facility should be easily accessible

in the immediate work area.

Inhalation: Remove victim immediately from source of exposure. Keep the affected

person warm and at rest. Get prompt medical attention.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 4 of 11

Date of Issue: March 2014

SECTION 4 – FIRST AID MEASURES (CONTINUED)

Ingestion (Swallowed): If swallowed DO NOT induce vomiting. Immediately rinse out mouth with

water. Never give anything by mouth to an unconscious patient. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration into

the lungs. Get to a doctor or hospital quickly.

Skin Contact: Remove affected person from source of contamination. If skin or hair contact

occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention promptly if symptoms occur after washing.

Eye Contact: Remove victim immediately from source of exposure. If in eyes, hold eyelids

apart and flush the eye continuously with running water. Make sure to remove any contact lenses from the eyes before rinsing. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 POISON or 0800 764 766) or a doctor, or for at

least 15 minutes. Get medical attention immediately.

Advice to Doctor: No specific antidote. Treat symptomatically. Poisons Information Centre in

each Australian State capital city or New Zealand National Poisons Centre can

provide additional assistance for scheduled poisons.

SECTION 5 – FIRE FIGHTING MEASURES

Hazards from Combustion Product itself is not combustible, but under fire conditions, this product may

emit Carbon Monoxide (CO) and Carbon Dioxide (CO₂) and other possibly

toxic gases and vapours.

Suitable Extinguishing Media: Define extinguishing measures according to neighbouring conditions.

Precautions for Fire Fighting: Liquid-Tight Chemical Protective Suit with Breathing Apparatus. Contain and

prevent, by any means available, spillages and decontamination run-off from

entering drains and watercourses.

Hazchem Code: 2Z.

Flash Point: Not applicable.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills:

Products:

Personal Precautions: In case of spill, isolate hazard area and deny entry. Wear protective clothing

as described in Section 8 of this safety data sheet.

Environmental Precautions: Do not allow to enter drainage system, surface or ground water. In the event

of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste

Management Authority.

Methods of cleaning up/of

removing:

DO NOT TOUCH SPILLED MATERIAL! Stop leak if possible without risk. Spilt material should be absorbed into dry, inert material (e.g. sand, vermiculite,

diatomite, universal binders, sawdust etc.), which then can be put into appropriately labelled drums. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. The wasted material can be disposed of by incineration (preferably high temperature) by an approved

agent according to State, Territory and/or Local government regulations.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 5 of 11

Date of Issue: March 2014

SECTION 7 – HANDLING AND STORAGE

Handling: Avoid all personal contact, including skin and eye contact and

contamination of clothing. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder

contaminated clothing before re-use.

Information about Fire and

Explosion Protection:

No special measures required.

Storage:

General: Store in tightly closed original container in a dry, cool and well-ventilated

place. Avoid breathing vapours. Keep in original container. Keep containers

closed at all times.

Storage Class:

r

Dangerous Goods Class: 9.

Unsuitable Materials for

Receptacles:

Not applicable.

Suitable Materials for

Receptacles & Pipes:

Steel or stainless steel. Use polyolefin receptacles.

Further Information about

- ...

Storage Conditions:

Not applicable.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits (AUSTRALIA): National Occupational Exposure Limits, as published by Safe Work

Australia:

Time-weighted Average (TWA): None established for product. **Short Term Exposure Limit (STEL):** None established for product.

Exposure Limits (NEW ZEALAND): Workplace Exposure Standards, as published by The Workplace Group of

the Department of Labour, Department of Labour, New Zealand: Time-weighted Average (TWA): None established for product. Short Term Exposure Limit (STEL): None established for product.

Biological Monitoring: No biological monitoring is required.

Engineering Controls: Provide adequate ventilation. Observe occupational exposure limits and

minimize the risk of inhalation of vapours.

Personal Protection: <u>General protective & hygiene measures:</u> DO NOT SMOKE IN WORK AREA!

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin. When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash

promptly if skin becomes wet or contaminated.

Process conditions:

Provide eye wash fountains and a quick drench facility in the immediate

work area.

Respiratory protective equipment: No specific recommendation made, but

respiratory protection may still be required under exceptional

circumstances when excessive air contamination exists.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 6 of 11

Date of Issue: March 2014

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Personal Protection: Eye protection: If risk of splashing, wear safety goggles with side shield

protection or face shield.

<u>Hand protection</u>: if risk of skin contact, alkaline resistant gloves (e.g. Butyl, Natural Rubber Latex with small amount of Polychloroprene Latex, Polychloroprene, Nitrile, PolyVinyl Chloride or PVC, Polyvinyl Alcohol or

PVAL gloves complying with AS 2161) are recommended.

Clothing: Suitable protective clothing to prevent any possibility of skin

contact.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Granules.

Colour: White/purple.

Odour: Characteristic odour.

Odour Threshold: Not available.

pH: Ca. 9 - 10 @ 20°C (100 g/L).

Melting Point/ Freezing Point: Not available.

Initial Boiling Point/ Boiling Not applicable.

Range:

Flashpoint: Not applicable.

Evaporation Rate: Not available.

Flammability (solid, gas): Not applicable.

Upper/Lower Flammability or Not applicable.

Explosive Limits:

Vapour Pressure:Not available.Vapour Density:Not available.Bulk Density:Ca. 0.9 - 1.2 kg/L.Solubility:Fully miscible in water.

Partition coefficient: n-

octanol/water:

Products:

Not available.

Auto-ignition Temperature: Product is not self igniting.

Decomposition Temperature: Not applicable. **Viscosity:** Not applicable.

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable at normal temperatures and pressure.

Thermal Decomposition: No decomposition if used according to specifications.

Dangerous Reactions: Not applicable.

Conditions to Avoid: Avoid contact with acids and oxidising substances.

Materials to Avoid: Acids and oxidising substances.

Hazardous Decomposition Product itself is not combustible, but under fire conditions, this product

may emit Carbon Monoxide (CO) and Carbon Dioxide (CO₂) and other

possibly toxic gases and vapours.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 7 of 11

Date of Issue: March 2014

SECTION 11 - TOXICOLOGICAL INFORMATION

Health Effects:

Acute:

Alkaline product. General:

No data for product. Harmful if swallowed. **Acute Toxicity Data (Oral):**

Acute Toxicity Data (Dermal): No data for product.

Acute Toxicity Data (Inhalation): No data for product. Harmful by inhalation. May cause irritation to the

respiratory system.

Skin corrosion/irritation: May cause severe skin burns and/or irritation. Serious eye damage/irritation: May cause serious eye damage and/or irritation.

Respiratory or skin sensitisation: No sensitising effects known.

Germ cell mutagenicity: No data for product. **Carcinogenicity:** No data for product. **Reproductive Toxicity:** No data for product. **Specific Target Organ Toxicity** No data for product.

(STOT) - single exposure:

Specific Target Organ Toxicity

(STOT) – repeated exposure:

No data for product.

Aspiration Hazard: No data for product. **Chronic Toxicity Data:** No data for product.

Information on Possible Routes Inhalation is the primary route of exposure although absorption may occur

of Exposure: through skin contact or following accidental ingestion.

Ingestion (Swallowing): Poison, not to be ingested. Product is classified as Acute Toxicity – Oral,

Hazard Category 4; Harmful if swallowed.

Eye Contact: Product is classified as Serious Eye Damage/Irritation, Hazard Category 1;

Causes serious eye damage.

Skin Contact: Product is classified as Skin Corrosion/Irritation, Hazard Category 1C;

Causes severe skin burns and eye damage.

Inhalation: Product is not classified as Acute Toxicity – Inhalation and is not expected

to represent a significant inhalation hazard.

Other Health Effects: No data for product.

SECTION 12 – ECOLOGICAL INFORMATION

Fish Toxicity: None available for product. None available for product. Algae Toxicity: **Invertebrates Toxicity:** None available for product. **Toxicity to Microorganisms:** None available for product. **OECD Biological Degradation:** None available for product. **Information about Elimination** None available for product.

(Persistence & Degradability):

Bioaccumulative Potential: No data available for product, on basis of ingredients not expected to be

bioaccumulative.

Behaviour in Sewage Processing

Plants:

The product is an alkaline solution. Neutralization is normally necessary

before waste water is discharged into sewage treatment plants.

General: Product is regarded as dangerous for the environment. Product is fully

miscible with water.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 8 of 11

Date of Issue: March 2014

SECTION 13 – DISPOSAL CONSIDERATIONS

Product: Dispose of waste and residues in accordance with the waste disposal facility operator

according to State, Territory and/or Local government regulations, pertinent

authorities and adhering to the necessary technical regulations.

Uncleaned Packaging: Recommended to be disposed of according to official regulations. Recommended

cleansing agent is water, if necessary with cleansing agents.

SECTION 14 – TRANSPORT INFORMATION

This product is classified as DANGEROUS GOODS according to the Australian Code General:

for the Transport of Dangerous Goods by Road and Rail, and the Land Transport Rule:

Dangerous Goods 2005 (New Zealand).

UN Number: 3077.

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains Alcohols, C12-

15, Ethoxylated).

Dangerous Goods Class: 9. **Packing Group:** III.

Environmental Hazards This product is classified as Environmentally hazardous substance, Chronic II

for Transport Purposes: according to the Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code) and as Environmentally hazardous substance, Chronic 2 according to

the Land Transport Rule: Dangerous Goods 2005 (New Zealand).

According to Australian Code for the Transport of Dangerous Goods by Road and Rail,

Australian Special Provision AU01 Environmentally Hazardous Substances meeting

the descriptions of UN 3077 or UN 3082 are not subject to this Code when

transported by road or rail in:

(a) packagings;

(b) IBCs; or

(c) any other receptacle not exceeding 500 kg(L).

HAZCHEM Code: 2Z. **IERG:** 47.

SECTION 15 – REGULATORY INFORMATION

Australian Standards: AS/NZS 1337.1:2010: Personal eye protection - Eye and face protectors for

occupational applications.

AS/NZS 1715:2009: Selection, use and maintenance of respiratory protective

equipment.

AS/NZS 1716:2012: Respiratory protective devices.

AS/NZS 2161.1:2000: Occupational protective gloves: Selection, use and

maintenance.

AS/NZS 2161.2:2005: Occupational protective gloves: General requirements. AS/NZS 2161.10.1:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms —Terminology and performance requirements.

AS/NZS 2161.10.2:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to penetration. AS/NZS 2161.10.3:2005: Occupational protective gloves: Protective gloves against

chemicals and micro-organisms—Determination of resistance to permeation by

chemicals.



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 9 of 11

Date of Issue: March 2014

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

AS/NZS 2210.1:2010: Safety, protective and occupational footwear - Guide to

selection, care and use.

AS/NZS 2210.2:2009: Occupational protective footwear - Test methods (ISO

20344:2004, MOD).

AS/NZS 2210.4:2009: Occupational protective footwear - Specification for protective

footwear (ISO 20346:2004, MOD).

AS/NZS 4501.1:2008: Occupational protective clothing - Guidelines on the selection,

use, care and maintenance of protective clothing.

AS/NZS 4501.2:2006: Occupational protective clothing - General requirements.

This product is **classified** as **HAZARDOUS** according to the New Zealand Hazardous

Substances (Minimum Degrees of Hazard) Regulations 2001 with EPA (formerly

ERMA) Register Approval Number HSR002526 and HSNO Group Standard: Cleaning

Products (Corrosive) Group Standard 2006.

NICNAS: All ingredients present on AICS.

NZIOC: All ingredients present on NZIoC.

SUSMP: Poisons Schedule number S6 allocated.

SECTION 16 – OTHER INFORMATION

Acronyms and Comments:

HSNO:

ACGIH: American Conference of Industrial Hygienists.

ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.

AICS: Australian Inventory of Chemical Substances.

AS: Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia.

AS/NZ: Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia

and Standards New Zealand, Private Bag 2439 Wellington 6140, New Zealand.

BEI: Biological Exposure Indices published by the American Conference of Governmental

Industrial Hygienists (ACGIH), 1330 Kemper Meadow Drive, Cincinnati, OH 45240-

4148, USA.

CAS Number: Chemical Abstracts Service Registry Number.

EPA: The Environmental Protection Authority (EPA) in New Zealand is responsible for

national environmental regulatory functions currently spread across Government. It processes matters of national significance under the Resource Management Act, undertakes all functions under the HSNO Act, undertakes permitting and exemption functions under the Ozone Layer Protection Act, permitting functions relating to the import and export of hazardous waste, and advises on the development of National

Environmental Standards.

ERMA: Environmental Risk Management Authority in New Zealand, now replaced by EPA.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals, a globally

harmonized system for classification and labelling of chemicals proposed by the

United Nations.

HAZCHEM: An emergency action code of numbers and letters which gives information to

emergency services.

HSNO The Hazardous Substances and New Organisms Act in New Zealand is administered

by the EPA, and covers all Hazardous Substances and New Organisms.

IARC: International Agency for Research on Cancer.

IERG: Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB 76:2010 Standards

New Zealand Handbook).



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 10 of 11

Date of Issue: March 2014

SECTION 16 – OTHER INFORMATION (CONTINUED)

NICNAS: National Industrial Chemicals Notification and Assessment Scheme.

NTP: National Toxicology Program (USA Department of Health and Human Services).

NZIOC: The New Zealand Inventory of Chemicals is a database of all the hazardous chemical

components of products approved under group standards. It also includes a number

of non-hazardous chemical components.

NZS: New Zealand Standards which are available from Standards New Zealand, Private Bag

2439, Wellington 6140 New Zealand.

OSHA: Occupational Safety and Health Administration (USA).

PE/EVAL/PE: A laminate of Polyethylene (PE), Ethylene-vinyl Alcohol or EVOH (EVAL) and

Polyethylene (PE).

Peak Limitation: Peak limitation means a maximum or peak airborne concentration of a particular

substance determined over the shortest analytically practicable period of time which

does not exceed 15 minutes.

Peak or peak limitation exposure standards are set for some substances, exposure to which can induce acute effects after relatively brief exposure to high concentrations. Excursions above the peak limitation exposure standard are not permitted at any

time.

SAA: Australian Standards which are available from SAI Global Limited, Information

Services, GPO Box 5420, Sydney NSW 2001.

Safe Work Australia: Safe Work Australia was formerly the Australian Safety and Compensation Council,

which included the National Occupational Health and Safety Commission (NOHSC).

SDS: Safety Data Sheet.

STEL: Exposure standard - short term exposure limit, a 15 minute TWA exposure which

should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. According to current knowledge this concentration should neither impair the health

of, nor cause undue discomfort to, nearly all workers.

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons, Therapeutic Goods

Administration, Department of Health and Ageing, Australian Government, Canberra,

ACT 2600, Australia.

TWA: Exposure standard - time-weighted average, the average airborne concentration of a

particular substance when calculated over a normal eight hour working day, for a

five-day working week.

UN Number: United Nations Number.

WHS: Model work health and safety legislation introduced by the Australian government

which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy. The WHS Regulations implement a new system of chemical hazard classification, labelling and safety data

sheet requirements based on the GHS.

Issue Date: 26 March 2014. **Supersedes Issue Date:** 28 February 2013.

Revision Information: Inclusion of New Zealand supplier.

Contact Point: Regulatory Affairs Manager.

Telephone: (+61) 1300 CHALLS; (1300 242 557) (Australia).



Challs Australia Pty Ltd

Product: Buster Plughole Granular Sanitiser

Page 11 of 11

Date of Issue: March 2014

SECTION 16 – OTHER INFORMATION (CONTINUED)

Note: Safety Data Sheets are updated frequently. Please ensure that you have a current

copy.

Disclaimer: This SDS summarises at the date of issue our best knowledge of the health and safety

hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Challs Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If

clarification or further information is needed to ensure that an appropriate

assessment can be made, the user should contact this company.